



State of New Hampshire  
DEPARTMENT OF ENVIRONMENTAL SERVICES

6 Hazen Drive, P.O. Box 95, Concord, NH 03302-0095  
(603) 271-3406 FAX (603) 271-7894



July 29, 2003  
**Letter of Compliance**  
For  
**Letter of Deficiency**  
DSP # 03-036

Ms. Elizabeth O'Grady, Trustee  
Elizabeth O'Grady Revocable Trust 1997  
P.O. Box 239  
East Lempster, NH 03605

Re: Richardson Brook Dam #136.11 in Lempster  
Letter of Deficiency (LOD) Dam #136.11  
Issued on May 14, 2003

Dear Ms. O'Grady:

Based on the material you submitted and received on July 23, 2003, the Department of Environmental Services (DES) has determined that the referenced LOD is considered complete and will be closed. Enclosed is a copy for your reference. Please note that the remaining tree stump will have to be pruned annually to prevent regrowth. The operation and maintenance plan has been accepted and placed on file.

If you have any questions or comments, please contact me at 603-271-3406 or write to the Water Division at the address listed above.

Sincerely

**COPY**

Grace E. Levergood, P.E.  
Dam Safety Engineer

Enclosure: Copy of May 14, 2003

cc: Gretchen Rule ✓  
Town of Lempster

GEL/h:/safety/wendy/10d/13611compltr.doc